Work Orde											Page
Revision ID: Item Name: Start Date: Required Date: Reference:		Start Qty: 4.00 Req'd Qty: 4.00			Cust Item II Customer:) :			Setup Sta		
Approvals:	Process Pla QC:	n:	Date://-03-36	Tooling: SPC (Y/N):	Da Da				St	op	i i i i i i i i i i i i i i i i i i i
Sequence ID/ Work Center ID		Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr									
D3196	Rev	С									
100 Bandsaw Jeaspa Bandsaw		BAND SAW Memo Cut blank	c: (0.75" x 1.50") x 34.750" lor	0.00 0.00	21104/05			4	·	8	
110 HAAS 1 HAAS CNC vertical	machine #1	HAAS CNC VERTIC Memo 1-Machin Deburr	AL MACHINING #1 ne D3196-4 as per Folio FA339	0.00 0.00 0.00 A 0.00 and Dwg D3196Identify	. A 11 04 0 as D3196-4□2-	6		4	φ	· — · .	

QC2- Inspect parts off machine FAI/FAIB

0.00

Memo

0.00

B.A 11/04/06

Quality Control

Dart	Aeros	pace	Ltd
------	--------------	------	-----

W/O:		-	WORK ORDER CHANGES						
DATE	STEP	PROCEDU	 RE CHANGE 	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
-									
D N					50	_	· .		

Part No:		PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
,	Resolution:		Disposition:	QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Approval	Approval	
DATE	DATE STEP Description of NC Section A		Initial Chief Eng			Section C	Chief Eng	QC Inspector	
· .									

Work Order ID 67740

Tuesday, March 29, 2011 2:30:44 PM



Page 2

Item ID:

D3196-4

Accept

Setup Start



Revision ID:

Item Name: Start Date:

Required Date: 4/8/2011

Bar

3/29/2011

Start Oty: 4.00

Req'd Oty: 4.00



Cust Item ID:

Customer:

Tool ID

Reference:

Approvals:

Process Plan:

Date:

Date:

Tooling: SPC (Y/N):

Date:

Date:

Run

Start Stop

Stop



Sequence ID/ Work Center ID

130

OC

140

خير

Ouality Control

Operation Description

QC8- Inspect parts - second check

Memo

Set Up/

Run Hours

0.00

0,00 anduloulous

Code

Tool # Plan

Accept Oty

Reject Oty

Reject Insp. Number

Stamp

Chemical Conversion Coat per OSI005 4.1

0.00

Memo

0.00

4 Bl 11-4-6.

Hand Finishing

HandFinish

Grev Sandtex(Ref:4.3.5.6) per QSI005 4.3

0.00

Powdercoat

150

Powder Coating

0.00

□OVEN FEMPERATURE:

4 Kl 114-6

Dart Aerospace L	td
------------------	----

	P		- 1						•	_
W/O:				WORK ORDER CHANG	ES					
DATE	STEP	PROCED	URE	E CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
										*
Part No		PAR #:								
-	R	esolution:	Dispo	oosition:	_ QA	: N/C CI	osed:		Date: _	
NCR:		WOI	RK C	ORDER NON-CONFORM	ANCE	E (NCR	1)			
DATE	CTED	Description of NC			ion B		Verific	ation	Approval	Approval
DATE	STEP	Section A	In itia Chief E			Sign & Date	Section		Chief Eng	QC Inspector
					,					

Work Order ID 67740

Tuesday, March 29, 2011 2:30:44 PM



Page 3

Item ID:

D3196-4

Accept



Setup Start

Stop



Revision ID:

Item Name: Bar

Start Date: 3/29/2011 Required Date: 4/8/2011

Start Qty: 4.00

Req'd Qty: 4.00



Date:

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

QC:

Date: _____

Tooling:

SPC (Y/N):

Date:

Date:

Run

Start Stop

Sequence ID/

Work Center ID

160

Quality Control

Operation Description

QC3- Inspect Part Finish

Memo

Set Up/ **Run Hours**

0.00

0.00

Tool ID

Tool # Plan Code

Accept Qty

Reject Qty

Reject Number Stamp

Insp.

170

Packaging

Packaging

Identify as per dwg & Stock Location:

Memo

0.00

0.00

Quality Control

180

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

Dart Aerospace Ltd WORK ORDER CHANGES W/O: Approval Chief Eng / Approval DATE STEP PROCEDURE CHANGE By Date Qty QC Inspector Prod Mgr Part No: ______ PAR #: ____ Fault Category: _____ NCR: Yes No DQA: ____ Date: ____ Resolution: _____ Disposition: _____ QA: N/C Closed: ____ Date: _____

		Description of NO		Corrective Action Section	on B	Varification	A	Approval
DATE	STEP	Description of NC Section A	Initia Chief E		Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto
						-		
				₹				
	ate & initial a							

Picklist Print

Tuesday, March 29, 2011 2:30:52 PM

Work Order ID: 67740

Parent Item:

D3196-4

Parent Item Name: Bar



Start Date: 3/29/2011

Required Date: 4/8/2011

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev: A New Issue 05-11-08 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Primary Item Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.750X01.50		Purchased	No		100	f	61.6800	2.89	12.16842	2		

THE REPORT OF THE COURT OF THE

6061-T6 Bar .750 X 1.50

Location	Loc Qty	Loc Code
MAT003	61.68	
116405	16.6	
116604	1.5	
> 116623	43.58	

12.168 and 1/04/05

Dart Aeı	rospace	e Ltd								
W/O:				WOF	K ORDER CHANGE	ES				
DATE	DATE STEP PROCEDURE CHANGE					Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		·								
Part No	:	PAR #:	Fa	ult Catego	ry:	NCR: Yes	No DQA :		Date: _	
	R	esolution:	Di	sposition:		QA: N/C CI	osed:		Date: _	Takyi,
NCR:		\	VORK	ORDE	R NON-CONFORMA	NCE (NCF	R)			
DATE	CTED	Description of NC			orrective Action Section		Verifica	tion	Approval	Approval
DATE	STEP	Section A		itial ef Eng	Action Description Chief Eng	Sign & Date	Section		Chief Eng	QC Inspector
		·							1	l

DART AEROSPACE LTD	Work Order:	47740
Description: Bar	Part Number:	D3196-4
Inspection Dwg: D3196 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
34.625	+/-0.010	34.625	/		TAPE	6A-12
33.650	+/-0.010	33.650	/		t)	11
16.639	+/-0.010	16.639	~		tl	Fl
0.488	+/-0.010	0.490	~		Vern	GA -01
0.962	+/-0.005	0.961	V		11	11
0.464	+/-0.010	0.464	~		(I	11
0.504	+/-0.010	0.502	~		,11	1/
Ø0.344	+0.006/-0.001	\$ 0.344	~		(1)	1/
Ø0.660 x 100°	+0.008/-0.001 x 0.5°	0.660 x 100°	/		(1	(1
0.512	+/-0.005	0.510	7		11	()
0.060 x 45°	+/-0.010 x 0.5°	0.063 x450	~		11	11
4.750	+/-0.010	4.750	~		£1	11
12.531	+/-0.010	12.531	/		TAPE	6A-12
16.627	+/-0.010	16.627	>		11	ę1
21.844	+/-0.010	21.844	>		il.	10
29.625	+/-0.010	29.625	'		(1	r(
0.250	+/-0.010	0.251	>		Vern	6A-01
1.000	+/-0.010	1.000	/		(1	11
R0.125	+/-0.010	Ro.125	>		R-6	ref,
0.987	+/-0.010	0.990	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Vecn	6A-01

Measured by:	J.A	Audited by:	ml	Prototype Approval:	N/A
Date:	11/04/06	Date:	11/04/06	Date:	N/A
	1				


Rev	Date	Change	Revised by	Approved_
Α	04.04.20	New Issue	KJ/RF	
В	06.10.24	Dwg Rev. updated	KJ/JLM	<u> </u>

	-				•									
W/O:		WORK ORDER CHANGES												
DATE	STEP	PRO	OCEDURE CHA	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
									T Tod Ivigi					
										ļ				
										l.				
Part No:		PAR #:	Fault Cate	egory:	N	CR: Yes	No DQ	A:	Date: _					
	Re	esolution:	Disposition	on:	Q	A: N/C CI	osed:		Date: _					
NCR:			WORK ORD	ER NON-CONFO	RMANC	E (NCR	R)							
		Description of NC	on of NC Corrective Acti		Section B		Verifi	Verification Ap	Approval	Approval				
DATE	STEP	Section A	Initial Chief Eng	Action Descrip Chief Eng	tion	Sign 8 Date		tion C	Chief Eng	QC Inspector				
									<u> </u> 					
										•				
										-				
1														



Dart Ae	rospace L	td							
W/O:			-	WC	RK ORDER CHANGE	S		***************************************	
DATE	STEP	PR	OCEDU	RE CHAI	NGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
i									
Part No		PAR #:							
	Res	olution:						Date: _	
NCR:			WORK	(ORDI	ER NON-CONFORMAN	NCE (NCR	3)		
DATE	STEP	Description of NC	Corrective Action Section B			Verification	ation Approval	Approva	
DAIL	SILP	Section A		itial ef Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspect
									ŀ

ulo 67740



D3196-3 BAR

뒾S

DOCUMENT

Copyright © 2003 by DART AEROSPACE LTD

IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD

ANY PURPOSE OR

COPIED

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8) (REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1

POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3

- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

CHECKED 06.10.31 DRAWING NO. BAR RT AEROSPACE I SHEET N SCALE 유

Dart Aerospace Ltd WORK ORDER CHANGES W/O: Approval Approval DATE STEP PROCEDURE CHANGE By Qty Date Chief Eng / Prod Mgr QC Inspector Part No: _______ PAR #: ____ Fault Category: _____ NCR: Yes No DQA: ____ Date: ____ Resolution: _____ Disposition: _____ QA: N/C Closed: ____ Date: ____ WORK ORDER NON-CONFORMANCE (NCR) NCR:

		Description of NC Section A	:		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP		In Chi	itial ef Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
					•				1
									·
								!	

₹

DRAWING NO.


SHEET


u

유

1:5

RT AEROSPACE HAWKESBURY, ONTARIO, CANA





CHAMFER 0.060x45*

D3196-4 BAR

봀

DOCUMENT

ᅜ

Copyright © 2003 by PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRIOR COMMUNICATED TO ANY OTHER PERSON WITHOUT

DART AEROSPACE LTD

RESS CONDITION THAT IT IS NOT TO BE USED FOR WRITTEN PERMISSION FROM DART AEROSPACE LTD.

₹


PURPOSE

£

COPIED

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8) (REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1 POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES


Dart Ae	rospace	Ltd							•
W/O:				WORK ORDER CH	HANGES				
DATE	STEP	PR	OCEDURE	CHANGE		Ву	Date Qt	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
							,		
Part No	Part No: PAR #: Fa		Fault	Category:	NC	R: Yes	No DQA :	Date: _	
	R	esolution:	Dispo	osition:	QA	: N/C Cld	sed:	Date: _	
NCR:	**************************************		WORK O	ORDER NON-CONF	ORMANCE	(NCR)		
DATE	STEP	Description of NC		Corrective Action Sec			Verificatio	n Approvai	vai Approval
DATE	SIEP	Section A	Initial Chief En			Sign & Date	Section C	Chief Eng	QC Inspecto
						-			





Dart Aerospace Ltd W/O: **WORK ORDER CHANGES Approval** Approval QC Inspector STEP PROCEDURE CHANGE DATE By Date Qty Chief Eng / Prod Mgr Part No: ______ PAR #: ____ Fault Category: _____ NCR: Yes No DQA: ___ Date: ____ Resolution: _____ Disposition: ____ QA: N/C Closed: ____ Date: ____ WORK ORDER NON-CONFORMANCE (NCR) NCR:

		Description of NC		Corrective Action Section B		Verification	Approval	Annroyal
DATE	STEP	Section A	tial f Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
7								
		•						










SECTION B-B

DETAIL A


SECTION D-D

DETAIL C





SECTION F-F



NOTE: THIS CHANGE HAS BEEN DONE TO CLARIFY SLOT DIMENSIONS ONLY. NO CHANGES HAVE BEEN MADE TO THE PARTS SEE NCR 08-051 FOR FURTHER INFORMATION

ALL OTHER INFORMATION REMAINS UNCHANGED

COPYRIGHT © 2003 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DATA REPOSPACE, LTD.

Dart Aerospace	Ltd
-----------------------	-----

W/O:			WORK ORDER CHANGES							
DATE	STEP	PROCEDU	RE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		·								
							·			
							,			

Part No: _	27. m.s.	PAR #: Fa	ult Category:	NCR: Yes No DQA:	Date:
	Resolution:	Di	sposition:	QA: N/C Closed:	Date:
NCR.		WORK	ORDER NON-CONFORMAN	NCE (NCR)	

NCR:		· · ·			<u> </u>		Corrective				<u> </u>		
DATE	STEP	Description of NC Section A			Initial Chief Eng		Corrective Action Section B Action Description Chief Eng			Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
						. · · •				***			
			\$;				-		· .				
									• :				
				<i>5</i> . ~			÷				,	•	
							"		·			.,	-